

जब तक आपको यह परीक्षण पुस्तिका खोलने को न कहा जाए तब तक न खोलें

पि. बी. सी. : KJU-S-TMS

क्रम संख्या



परीक्षण पुस्तिका अनुक्रम

1084306

परीक्षण पुस्तिका  
गणित

**B**

समय : दो घण्टे और तीस मिनट

पूर्णांक : 300

अनुदेश

परीक्षा प्रारम्भ होने के तुरन्त बाद, आप इस परीक्षण पुस्तिका की पड़ताल अवश्य कर लें कि इसमें कोई बिना छपा, फटा या छूटा हुआ पृष्ठ अथवा प्रश्नांश, आदि न हो। यदि ऐसा है, तो इसे सही परीक्षण पुस्तिका से बदल लीजिए। कृपया ध्यान रखें कि OMR उत्तर-पत्रक में, उचित स्थान पर, रोल नम्बर और परीक्षण पुस्तिका अनुक्रम (सीरीज कोड) A, B, C या D को, ध्यान से एवं बिना किसी चूक या विसंगति के भरने और कूटबद्ध करने की ज़िम्मेदारी उम्मीदवार की है। किसी भी प्रकार की चूक/विसंगति की स्थिति में उत्तर-पत्रक निरस्त कर दिया जाएगा।

इस परीक्षण पुस्तिका पर साथ में दिए गए कोष्ठक में आपको अपना अनुक्रमांक लिखना है। परीक्षण पुस्तिका पर **और कुछ न** लिखें।

इस परीक्षण पुस्तिका में 120 प्रश्नांश (प्रश्न) दिए गए हैं। प्रत्येक प्रश्नांश हिन्दी और अंग्रेजी दोनों में छपा है। प्रत्येक प्रश्नांश में चार प्रत्युत्तर (उत्तर) दिए गए हैं। इनमें से एक प्रत्युत्तर को चुन लें, जिसे आप उत्तर-पत्रक पर अंकित करना चाहते हैं। यदि आपको ऐसा लगे कि एक से अधिक प्रत्युत्तर सही हैं, तो उस प्रत्युत्तर को अंकित करें जो आपको सर्वोत्तम लगे। प्रत्येक प्रश्नांश के लिए **केवल एक ही** प्रत्युत्तर चुनना है।

आपको अपने सभी प्रत्युत्तर अलग से दिए गए उत्तर-पत्रक पर ही अंकित करने हैं। उत्तर-पत्रक में दिए गए निर्देश देखिए। **सभी** प्रश्नांशों के अंक समान हैं।

इससे पहले कि आप परीक्षण पुस्तिका के विभिन्न प्रश्नांशों के प्रत्युत्तर उत्तर-पत्रक पर अंकित करना शुरू करें, आपको प्रवेश प्रमाण-पत्र के साथ प्रेषित अनुदेशों के अनुसार कुछ विवरण उत्तर-पत्रक में देने हैं।

आप अपने सभी प्रत्युत्तरों को उत्तर-पत्रक में भरने के बाद तथा परीक्षा के समापन पर **केवल उत्तर-पत्रक** अधीक्षक को सौंप दें। आपको अपने साथ परीक्षण पुस्तिका ले जाने की अनुमति है।

कच्चे काम के लिए पत्रक परीक्षण पुस्तिका के अंत में संलग्न हैं।

ग़लत उत्तरों के लिए दण्ड :

वस्तुनिष्ठ प्रश्न-पत्रों में उम्मीदवार द्वारा दिए गए ग़लत उत्तरों के लिए दण्ड दिया जाएगा।

- प्रत्येक प्रश्न के लिए चार वैकल्पिक उत्तर हैं। उम्मीदवार द्वारा प्रत्येक प्रश्न के लिए दिए गए एक ग़लत उत्तर के लिए प्रश्न हेतु नियत किए गए अंकों का एक-तिहाई दण्ड के रूप में काटा जाएगा।
- यदि कोई उम्मीदवार एक से अधिक उत्तर देता है, तो इसे ग़लत उत्तर माना जाएगा, यद्यपि दिए गए उत्तरों में से एक उत्तर सही होता है, फिर भी उस प्रश्न के लिए उपर्युक्तानुसार ही उसी तरह का दण्ड दिया जाएगा।
- यदि उम्मीदवार द्वारा कोई प्रश्न हल नहीं किया जाता है, अर्थात् उम्मीदवार द्वारा उत्तर नहीं दिया जाता है, तो उस प्रश्न के लिए कोई दण्ड नहीं दिया जाएगा।

जब तक आपको यह परीक्षण पुस्तिका खोलने को न कहा जाए तब तक न खोलें

Note : English version of the instructions is printed on the back cover of this Booklet.

1. What is the modulus of the complex number  $\frac{\cos \theta + i \sin \theta}{\cos \theta - i \sin \theta}$ , where  $i = \sqrt{-1}$  ?

- (a)  $\frac{1}{2}$
- (b) 1
- (c)  $\frac{3}{2}$
- (d) 2

2. Consider the proper subsets of  $\{1, 2, 3, 4\}$ . How many of these proper subsets are superset of the set  $\{3\}$  ?

- (a) 5
- (b) 6
- (c) 7
- (d) 8

3. Let  $p, q$  and  $r$  be three distinct positive real

numbers. If  $D = \begin{vmatrix} p & q & r \\ q & r & p \\ r & p & q \end{vmatrix}$ , then which

one of the following is correct ?

- (a)  $D < 0$
- (b)  $D \leq 0$
- (c)  $D > 0$
- (d)  $D \geq 0$

4. What is the sum of the last five coefficients in the expansion of  $(1+x)^9$  when it is expanded in ascending powers of  $x$  ?

- (a) 256
- (b) 512
- (c) 1024
- (d) 2048

5. Consider the following in respect of a non-singular matrix of order 3 :

- 1.  $A(\text{adj } A) = (\text{adj } A)A$
- 2.  $|\text{adj } A| = |A|$

Which of the above statements is/are correct ?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

6. The center of the circle

$$(x-2a)(x-2b) + (y-2c)(y-2d) = 0 \text{ is}$$

- (a)  $(2a, 2c)$
- (b)  $(2b, 2d)$
- (c)  $(a+b, c+d)$
- (d)  $(a-b, c-d)$

7. The point  $(1, -1)$  is one of the vertices of a square. If  $3x + 2y = 5$  is the equation of one diagonal of the square, then what is the equation of the other diagonal ?

- (a)  $3x - 2y = 5$
- (b)  $2x - 3y = 1$
- (c)  $2x - 3y = 5$
- (d)  $2x + 3y = -1$

8. Let  $P(x, y)$  be any point on the ellipse  $25x^2 + 16y^2 = 400$ . If  $Q(0, 3)$  and  $R(0, -3)$  are two points, then what is  $(PQ + PR)$  equal to ?
- (a) 12  
(b) 10  
(c) 8  
(d) 6
9. If the circumcentre of the triangle formed by the lines  $x + 2 = 0$ ,  $y + 2 = 0$  and  $kx + y + 2 = 0$  is  $(-1, -1)$ , then what is the value of  $k$  ?
- (a) -1  
(b) -2  
(c) 1  
(d) 2
10. In the parabola,  $y^2 = x$ , what is the length of the chord passing through the vertex and inclined to the  $x$ -axis at an angle  $\theta$  ?
- (a)  $\sin \theta \cdot \sec^2 \theta$   
(b)  $\cos \theta \cdot \operatorname{cosec}^2 \theta$   
(c)  $\cot \theta \cdot \sec^2 \theta$   
(d)  $2 \tan \theta \cdot \operatorname{cosec}^2 \theta$
11. Under which condition, are the points  $(a, b)$ ,  $(c, d)$  and  $(a - c, b - d)$  collinear ?
- (a)  $ab = cd$   
(b)  $ac = bd$   
(c)  $ad = bc$   
(d)  $abc = d$
12. Let  $ABC$  be a triangle. If  $D(2, 5)$  and  $E(5, 9)$  are the mid-points of the sides  $AB$  and  $AC$  respectively, then what is the length of the side  $BC$  ?
- (a) 8  
(b) 10  
(c) 12  
(d) 14
13. If the foot of the perpendicular drawn from the point  $(0, k)$  to the line  $3x - 4y - 5 = 0$  is  $(3, 1)$ , then what is the value of  $k$  ?
- (a) 3  
(b) 4  
(c) 5  
(d) 6
14. What is the obtuse angle between the lines whose slopes are  $2 - \sqrt{3}$  and  $2 + \sqrt{3}$  ?
- (a)  $105^\circ$   
(b)  $120^\circ$   
(c)  $135^\circ$   
(d)  $150^\circ$
15. If  $3x - 4y - 5 = 0$  and  $3x - 4y + 15 = 0$  are the equations of a pair of opposite sides of a square, then what is the area of the square ?
- (a) 4 square units  
(b) 9 square units  
(c) 16 square units  
(d) 25 square units

**Directions for the following three (03) items :**

Read the following information and answer the three items that follow :

Let  $a \sin^2 x + b \cos^2 x = c$ ;  $b \sin^2 y + a \cos^2 y = d$   
and  $p \tan x = q \tan y$ .

16. What is  $\tan^2 x$  equal to?

(a)  $\frac{c-b}{a-c}$

(b)  $\frac{a-c}{c-b}$

(c)  $\frac{c-a}{c-b}$

(d)  $\frac{c-b}{c-a}$

17. What is  $\frac{d-a}{b-d}$  equal to?

(a)  $\sin^2 y$

(b)  $\cos^2 y$

(c)  $\tan^2 y$

(d)  $\cot^2 y$

18. What is  $\frac{p^2}{q^2}$  equal to?

(a)  $\frac{(b-c)(b-d)}{(a-d)(a-c)}$

(b)  $\frac{(a-d)(c-a)}{(b-c)(d-b)}$

(c)  $\frac{(d-a)(c-a)}{(b-c)(d-b)}$

(d)  $\frac{(b-c)(b-d)}{(c-a)(a-d)}$

**Directions for the following three (03) items :**

Read the following information and answer the three items that follow :

Let  $t_n = \sin^n \theta + \cos^n \theta$ .

19. What is  $\frac{t_3 - t_5}{t_5 - t_7}$  equal to?

(a)  $\frac{t_1}{t_3}$

(b)  $\frac{t_3}{t_5}$

(c)  $\frac{t_5}{t_7}$

(d)  $\frac{t_1}{t_7}$

20. What is  $t_1^2 - t_2$  equal to?

(a)  $\cos 2\theta$

(b)  $\sin 2\theta$

(c)  $2 \cos \theta$

(d)  $2 \sin \theta$

21. What is the value of  $t_{10}$  where  $\theta = 45^\circ$ ?

(a) 1

(b)  $\frac{1}{4}$

(c)  $\frac{1}{16}$

(d)  $\frac{1}{32}$

**Directions for the following three (03) items :**

Read the following information and answer the three items that follow :

$$\text{Let } \alpha = \beta = 15^\circ.$$

22. What is the value of  $\sin \alpha + \cos \beta$  ?

- (a)  $\frac{1}{\sqrt{2}}$
- (b)  $\frac{1}{2\sqrt{2}}$
- (c)  $\frac{\sqrt{3}}{2\sqrt{2}}$
- (d)  $\frac{\sqrt{3}}{\sqrt{2}}$

23. What is the value of  $\sin 7\alpha - \cos 7\beta$  ?

- (a)  $\frac{1}{\sqrt{2}}$
- (b)  $\frac{1}{2\sqrt{2}}$
- (c)  $\frac{\sqrt{3}}{2\sqrt{2}}$
- (d)  $\frac{\sqrt{3}}{\sqrt{2}}$

24. What is  $\sin(\alpha + 1^\circ) + \cos(\beta + 1^\circ)$  equal to ?

- (a)  $\sqrt{3} \cos 1^\circ + \sin 1^\circ$
- (b)  $\sqrt{3} \cos 1^\circ - \frac{1}{2} \sin 1^\circ$
- (c)  $\frac{1}{\sqrt{2}} (\sqrt{3} \cos 1^\circ - \sin 1^\circ)$
- (d)  $\frac{1}{2} (\sqrt{3} \cos 1^\circ + \sin 1^\circ)$

25. If  $\sin x + \sin y = \cos y - \cos x$ , where  $0 < y < x < \frac{\pi}{2}$ , then what is  $\tan\left(\frac{x-y}{2}\right)$  equal to ?

- (a) 0
- (b)  $\frac{1}{2}$
- (c) 1
- (d) 2

26. If A is a matrix of order  $3 \times 5$  and B is a matrix of order  $5 \times 3$ , then the order of AB and BA will respectively be

- (a)  $3 \times 3$  and  $3 \times 3$
- (b)  $3 \times 5$  and  $5 \times 3$
- (c)  $3 \times 3$  and  $5 \times 5$
- (d)  $5 \times 3$  and  $3 \times 5$

27. If  $p^2, q^2$  and  $r^2$  (where  $p, q, r > 0$ ) are in GP then which of the following is/are correct?

1.  $p, q$  and  $r$  are in GP
2.  $\ln p, \ln q$  and  $\ln r$  are in AP.

Select the correct answer using the codes given below :

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

28. If  $\cot \alpha$  and  $\cot \beta$  are the roots of the equation  $x^2 - 3x + 2 = 0$ , then what is  $\cot(\alpha + \beta)$  equal to?

- (a)  $\frac{1}{2}$
- (b)  $\frac{1}{3}$
- (c) 2
- (d) 3

29. The roots  $\alpha$  and  $\beta$  of a quadratic equation, satisfy the relations  $\alpha + \beta = \alpha^2 + \beta^2$  and  $\alpha\beta = \alpha^2\beta^2$ . What is the number of such quadratic equations?

- (a) 0
- (b) 2
- (c) 3
- (d) 4


30. What is the argument of the complex number

$$\frac{1 - i\sqrt{3}}{1 + i\sqrt{3}}, \text{ where } i = \sqrt{-1}?$$

- (a)  $240^\circ$
- (b)  $210^\circ$
- (c)  $120^\circ$
- (d)  $60^\circ$

**Directions for the following three (03) items :**

Consider the following Venn diagram, where X, Y and Z are three sets. Let the number of elements in Z be denoted by  $n(Z)$  which is equal to 90.



31. If the number of elements in Y and Z are in the ratio 4 : 5, then what is the value of b?

- (a) 18
- (b) 19
- (c) 21
- (d) 23

32. What is the value of  $n(X) + n(Y) + n(Z) - n(X \cap Y) - n(Y \cap Z) - n(X \cap Z) + n(X \cap Y \cap Z)$ ?

- (a)  $a + b + 43$
- (b)  $a + b + 63$
- (c)  $a + b + 96$
- (d)  $a + b + 106$

33. If the number of elements belonging to neither X, nor Y, nor Z is equal to p, then what is the number of elements in the complement of X?

- (a)  $p + b + 60$
- (b)  $p + b + 40$
- (c)  $p + a + 60$
- (d)  $p + a + 40$

Directions for the following two (02) items :

Read the following information and answer the two items that follow :

$$\text{Let } \frac{\tan 3A}{\tan A} = K, \text{ where } \tan A \neq 0 \text{ and } K \neq \frac{1}{3}$$

34. What is  $\tan^2 A$  equal to ?

(a)  $\frac{K+3}{3K-1}$

(b)  $\frac{K-3}{3K-1}$

(c)  $\frac{3K-3}{K-3}$

(d)  $\frac{K+3}{3K+1}$

35. For real values of  $\tan A$ ,  $K$  cannot lie between

(a)  $\frac{1}{3}$  and 3

(b)  $\frac{1}{2}$  and 2

(c)  $\frac{1}{5}$  and 5

(d)  $\frac{1}{7}$  and 7

Directions for the following two (02) items :

Read the following information and answer the two items that follow :

ABCD is a trapezium such that AB and CD are parallel and BC is perpendicular to them. Let  $\angle ADE = \theta$ ,  $\angle ABD = \alpha$ ,  $BC = p$  and  $CD = q$ .

36. Consider the following :

1.  $AD \sin \theta = AB \sin \alpha$

2.  $BD \sin \theta = AB \sin (\theta + \alpha)$

Which of the above is/are correct ?

(a) 1 only

(b) 2 only

(c) Both 1 and 2

(d) Neither 1 nor 2

37. What is AB equal to ?

(a)  $\frac{(p^2 + q^2) \sin \theta}{p \cos \theta + q \sin \theta}$

(b)  $\frac{(p^2 - q^2) \cos \theta}{p \cos \theta + q \sin \theta}$

(c)  $\frac{(p^2 + q^2) \sin \theta}{q \cos \theta + p \sin \theta}$

(d)  $\frac{(p^2 - q^2) \cos \theta}{q \cos \theta + p \sin \theta}$

38. If  $\tan \theta = \frac{\cos 17^\circ - \sin 17^\circ}{\cos 17^\circ + \sin 17^\circ}$ , then what is the value of  $\theta$  ?

(a)  $0^\circ$

(b)  $28^\circ$

(c)  $38^\circ$

(d)  $52^\circ$

39. A and B are positive acute angles such that  $\cos 2B = 3 \sin^2 A$  and  $3 \sin 2A = 2 \sin 2B$ . What is the value of  $(A + 2B)$ ?

- (a)  $\frac{\pi}{6}$
- (b)  $\frac{\pi}{4}$
- (c)  $\frac{\pi}{3}$
- (d)  $\frac{\pi}{2}$

40. What is  $\sin 3x + \cos 3x + 4 \sin^3 x - 3 \sin x + 3 \cos x - 4 \cos^3 x$  equal to?

- (a) 0
- (b) 1
- (c)  $2 \sin 2x$
- (d)  $4 \cos 4x$

41. The value of ordinate of the graph of  $y = 2 + \cos x$  lies in the interval

- (a)  $[0, 1]$
- (b)  $[0, 3]$
- (c)  $[-1, 1]$
- (d)  $[1, 3]$

42. What is the value of  $8 \cos 10^\circ \cdot \cos 20^\circ \cdot \cos 40^\circ$ ?

- (a)  $\tan 10^\circ$
- (b)  $\cot 10^\circ$
- (c)  $\operatorname{cosec} 10^\circ$
- (d)  $\sec 10^\circ$

43. What is the value of  $\cos 48^\circ - \cos 12^\circ$ ?

- (a)  $\frac{\sqrt{5}-1}{4}$
- (b)  $\frac{1-\sqrt{5}}{4}$
- (c)  $\frac{\sqrt{5}+1}{2}$
- (d)  $\frac{1-\sqrt{5}}{8}$

44. Consider the following statements:

1. If ABC is a right-angled triangle, right-angled at A and if  $\sin B = \frac{1}{3}$ , then  $\operatorname{cosec} C = 3$ .
2. If  $b \cos B = c \cos C$  and if the triangle ABC is not right-angled, then ABC must be isosceles.

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

45. Consider the following statements:

1. If in a triangle ABC,  $A = 2B$  and  $b = c$ , then it must be an obtuse-angled triangle.
2. There exists no triangle ABC with  $A = 40^\circ$ ,  $B = 65^\circ$  and  $\frac{a}{c} = \sin 40^\circ \operatorname{cosec} 15^\circ$ .

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2



46. If matrix  $A = \begin{bmatrix} 1-i & i \\ -i & 1-i \end{bmatrix}$  where  $i = \sqrt{-1}$ , then which one of the following is correct?
- (a) A is hermitian  
 (b) A is skew-hermitian  
 (c)  $(\bar{A})^T + A$  is hermitian  
 (d)  $(\bar{A})^T + A$  is skew-hermitian
47. The term independent of  $x$  in the binomial expansion of  $\left(\frac{2}{x^2} - \sqrt{x}\right)^{10}$  is equal to
- (a) 180  
 (b) 120  
 (c) 90  
 (d) 72
48. If  $(1 + 2x - x^2)^6 = a_0 + a_1x + a_2x^2 + \dots + a_{12}x^{12}$ , then what is  $a_0 - a_1 + a_2 - a_3 + a_4 - \dots + a_{12}$  equal to?
- (a) 32  
 (b) 64  
 (c) 2048  
 (d) 4096
49. If  $C(20, n+2) = C(20, n-2)$ , then what is  $n$  equal to?
- (a) 18  
 (b) 25  
 (c) 10  
 (d) 12
50. For how many values of  $k$ , is the matrix  $\begin{bmatrix} 0 & k & 4 \\ -k & 0 & -5 \\ -k & k & -1 \end{bmatrix}$  singular?
- (a) Only one  
 (b) Only two  
 (c) Only four  
 (d) Infinite
51. The number  $(1101101 + 1011011)_2$  can be written in decimal system as
- (a)  $(198)_{10}$   
 (b)  $(199)_{10}$   
 (c)  $(200)_{10}$   
 (d)  $(201)_{10}$
52. What is the value of  $\frac{1}{10} \log_5 1024 - \log_5 10 + \frac{1}{5} \log_5 3125$ ?
- (a) 0  
 (b) 1  
 (c) 2  
 (d) 3
53. If  $x = \log_c(ab)$ ,  $y = \log_a(bc)$ ,  $z = \log_b(ca)$ , then which of the following is correct?
- (a)  $xyz = 1$   
 (b)  $x + y + z = 1$   
 (c)  $(1+x)^{-1} + (1+y)^{-1} + (1+z)^{-1} = 1$   
 (d)  $(1+x)^{-2} + (1+y)^{-2} + (1+z)^{-2} = 1$

54. Let  $A = \begin{bmatrix} x+y & y \\ 2x & x-y \end{bmatrix}$ ,  $B = \begin{bmatrix} 2 \\ -1 \end{bmatrix}$  and  $C = \begin{bmatrix} 3 \\ 2 \end{bmatrix}$ . If  $AB = C$ , then what is the value of the determinant of the matrix A?

- (a) -10
- (b) -14
- (c) -24
- (d) -34

55. If  $1.5 \leq x \leq 4.5$ , then which one of the following is correct?

- (a)  $(2x-3)(2x-9) > 0$
- (b)  $(2x-3)(2x-9) < 0$
- (c)  $(2x-3)(2x-9) \geq 0$
- (d)  $(2x-3)(2x-9) \leq 0$

56. Let  $S = \{1, 2, 3, \dots\}$ . A relation R on  $S \times S$  is defined by  $xRy$  if  $\log_a x > \log_a y$  when  $a = \frac{1}{2}$ .

Then the relation is

- (a) reflexive only
- (b) symmetric only
- (c) transitive only
- (d) both symmetric and transitive

57. What is the value of the determinant

$$\begin{vmatrix} i & i^2 & i^3 \\ i^4 & i^6 & i^8 \\ i^9 & i^{12} & i^{15} \end{vmatrix} \text{ where } i = \sqrt{-1} ?$$

- (a) 0
- (b) -2
- (c)  $4i$
- (d)  $-4i$

58. Let  $A = \begin{bmatrix} a & h & g \\ h & b & f \\ g & f & c \end{bmatrix}$  and  $B = \begin{bmatrix} x \\ y \\ z \end{bmatrix}$ , then what is AB equal to?

(a)  $\begin{bmatrix} ax + hy + gz \\ y \\ z \end{bmatrix}$

(b)  $\begin{bmatrix} ax + hy + gz \\ hx + by + fz \\ z \end{bmatrix}$

(c)  $\begin{bmatrix} ax + hy + gz \\ hx + by + fz \\ gx + fy + cz \end{bmatrix}$

(d)  $[ax + hy + gz \quad hx + by + fz \quad gx + fy + cz]$

59. What is the number of ways in which the letters of the word 'ABLE' can be arranged so that the vowels occupy even places?

- (a) 2
- (b) 4
- (c) 6
- (d) 8

60. What is the maximum number of points of intersection of 5 non-overlapping circles?

- (a) 10
- (b) 15
- (c) 20
- (d) 25

**Directions for the following three (03) items :**  
 Read the following information and answer the three items that follow :

Marks	Number of students	
	Physics	Mathematics
10 - 20	8	10
20 - 30	11	21
30 - 40	30	38
40 - 50	26	15
50 - 60	15	10
60 - 70	10	6

61. The difference between number of students under Physics and Mathematics is largest for the interval
- 20 - 30
  - 30 - 40
  - 40 - 50
  - 50 - 60

62. Consider the following statements :
- Modal value of the marks in Physics lies in the interval 30 - 40.
  - Median of the marks in Physics is less than that of marks in Mathematics.

Which of the above statements is/are correct ?

- 1 only
  - 2 only
  - Both 1 and 2
  - Neither 1 nor 2
63. What is the mean of marks in Physics ?
- 38.4
  - 39.4
  - 40.9
  - 41.6

64. What is the standard deviation of the observations

$$-\sqrt{6}, -\sqrt{5}, -\sqrt{4}, -1, 1, \sqrt{4}, \sqrt{5}, \sqrt{6} ?$$

- $\sqrt{2}$
- 2
- $2\sqrt{2}$
- 4

65. If  $\sum x_i = 20$ ,  $\sum x_i^2 = 200$  and  $n = 10$  for an observed variable  $x$ , then what is the coefficient of variation ?

- 80
- 100
- 150
- 200

66. What is the probability that February of a leap year selected at random, will have five Sundays ?

- $\frac{1}{5}$
- $\frac{1}{7}$
- $\frac{2}{7}$
- 1

67. The arithmetic mean of 100 observations is 40. Later, it was found that an observation '53' was wrongly read as '83'. What is the correct arithmetic mean?

- (a) 39.8
- (b) 39.7
- (c) 39.6
- (d) 39.5

68. A husband and wife appear in an interview for two vacancies for the same post. The probability of the husband's selection is  $\frac{1}{7}$  and that of the wife's selection is  $\frac{1}{5}$ . If the events are independent, then the probability of which one of the following is  $\frac{11}{35}$ ?

- (a) At least one of them will be selected
- (b) Only one of them will be selected
- (c) None of them will be selected
- (d) Both of them will be selected

69. A dealer has a stock of 15 gold coins out of which 6 are counterfeits. A person randomly picks 4 of the 15 gold coins. What is the probability that all the coins picked will be counterfeits?

- (a)  $\frac{1}{91}$
- (b)  $\frac{4}{91}$
- (c)  $\frac{6}{91}$
- (d)  $\frac{15}{91}$

70. A committee of 3 is to be formed from a group of 2 boys and 2 girls. What is the probability that the committee consists of 2 boys and 1 girl?

- (a)  $\frac{2}{3}$
- (b)  $\frac{1}{4}$
- (c)  $\frac{3}{4}$
- (d)  $\frac{1}{2}$

71. In a lottery of 10 tickets numbered 1 to 10, two tickets are drawn simultaneously. What is the probability that both the tickets drawn have prime numbers?

- (a)  $\frac{1}{15}$
- (b)  $\frac{1}{2}$
- (c)  $\frac{2}{15}$
- (d)  $\frac{1}{5}$

72. Let  $X$  and  $Y$  represent prices (in ₹) of a commodity in Kolkata and Mumbai respectively. It is given that  $\bar{X} = 65$ ,  $\bar{Y} = 67$ ,  $\sigma_X = 2.5$ ,  $\sigma_Y = 3.5$  and  $r(X, Y) = 0.8$ . What is the equation of regression of  $Y$  on  $X$ ?

(a)  $Y = 0.175X - 5$

(b)  $Y = 1.12X - 5.8$

(c)  $Y = 1.12X - 5$

(d)  $Y = 0.17X + 5.8$

73. Consider a random variable  $X$  which follows Binomial distribution with parameters  $n = 10$  and  $p = \frac{1}{5}$ . Then  $Y = 10 - X$  follows Binomial distribution with parameters  $n$  and  $p$  respectively given by

(a)  $5, \frac{1}{5}$

(b)  $5, \frac{2}{5}$

(c)  $10, \frac{3}{5}$

(d)  $10, \frac{4}{5}$

74. If  $A$  and  $B$  are two events such that  $P(A) = 0.6$ ,  $P(B) = 0.5$  and  $P(A \cap B) = 0.4$ , then consider the following statements:

1.  $P(\bar{A} \cup B) = 0.9$ .

2.  $P(\bar{B} | \bar{A}) = 0.6$ .

Which of the above statements is/are correct?

(a) 1 only

(b) 2 only

(c) Both 1 and 2

(d) Neither 1 nor 2

75. Three cooks  $X$ ,  $Y$  and  $Z$  bake a special kind of cake, and with respective probabilities 0.02, 0.03 and 0.05, it fails to rise. In the restaurant where they work,  $X$  bakes 50%,  $Y$  bakes 30% and  $Z$  bakes 20% of cakes. What is the proportion of failures caused by  $X$ ?

(a)  $\frac{9}{29}$

(b)  $\frac{10}{29}$

(c)  $\frac{19}{29}$

(d)  $\frac{28}{29}$

76. Consider the following statements for

$$f(x) = e^{-|x|}$$

1. The function is continuous at  $x = 0$ .
2. The function is differentiable at  $x = 0$ .

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

77. What is the maximum value of  $\sin x \cdot \cos x$ ?

- (a) 2
- (b) 1
- (c)  $\frac{1}{2}$
- (d)  $2\sqrt{2}$

78. What is  $\lim_{x \rightarrow 0} \frac{3^x + 3^{-x} - 2}{x}$  equal to?

- (a) 0
- (b) -1
- (c) 1
- (d) Limit does not exist

79. What is the derivative of  $\tan^{-1} x$  with respect to  $\cot^{-1} x$ ?

- (a) -1
- (b) 1
- (c)  $\frac{1}{x^2 + 1}$
- (d)  $\frac{x}{x^2 + 1}$

80. The function  $u(x, y) = c$  which satisfies the differential equation

$$x(dx - dy) + y(dy - dx) = 0, \text{ is}$$

- (a)  $x^2 + y^2 = xy + c$
- (b)  $x^2 + y^2 = 2xy + c$
- (c)  $x^2 - y^2 = xy + c$
- (d)  $x^2 - y^2 = 2xy + c$

81. What is the minimum value of  $3 \cos \left( A + \frac{\pi}{3} \right)$

where  $A \in \mathbb{R}$ ?

- (a) -3
- (b) -1
- (c) 0
- (d) 3

82. Which of the following statements :

1. The function  $f(x) = \ln x$  increases in the interval  $(0, \infty)$ .
2. The function  $f(x) = \tan x$  increases in the interval  $\left(-\frac{\pi}{2}, \frac{\pi}{2}\right)$ .

Which of the above statements is/are correct ?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

83. Which one of the following is correct in respect of the graph of  $y = \frac{1}{x-1}$  ?

- (a) The domain is  $\{x \in \mathbf{R} \mid x \neq 1\}$  and the range is the set of reals.
- (b) The domain is  $\{x \in \mathbf{R} \mid x \neq 1\}$ , the range is  $\{y \in \mathbf{R} \mid y \neq 0\}$  and the graph intersects y-axis at  $(0, -1)$ .
- (c) The domain is the set of reals and the range is the singleton set  $\{0\}$ .
- (d) The domain is  $\{x \in \mathbf{R} \mid x \neq 1\}$  and the range is the set of points on the y-axis.

84. What is the solution of the differential equation  $\ln\left(\frac{dy}{dx}\right) = x$  ?

- (a)  $y = e^x + c$
- (b)  $y = e^{-x} + c$
- (c)  $y = \ln x + c$
- (d)  $y = 2 \ln x + c$

85. Let  $l$  be the length and  $b$  be the breadth of a rectangle such that  $l + b = k$ . What is the maximum area of the rectangle ?

- (a)  $2k^2$
- (b)  $k^2$
- (c)  $\frac{k^2}{2}$
- (d)  $\frac{k^2}{4}$

86. The numbers 4 and 9 have frequencies  $x$  and  $(x - 1)$  respectively. If their arithmetic mean is 6, then what is the value of  $x$  ?

- (a) 2
- (b) 3
- (c) 4
- (d) 5

87. If three dice are rolled under the condition that no two dice show the same face, then what is the probability that one of the faces is having the number 6 ?

- (a)  $\frac{5}{6}$
- (b)  $\frac{5}{9}$
- (c)  $\frac{1}{2}$
- (d)  $\frac{5}{12}$